



C D International, Inc.
 1576 Upper James Street • P.O. Box 30071
 Hamilton, Ontario L9B 2Y5
 Tel: 905-679-0085 FAX: 905-679-0058
www.balancingweights.ca
information@balancingweights.ca

CD International products are designed to help you perform your job more efficiently, effectively and safely. Our products reflect your professionalism and pride in your balancing job. You have over 100 sizes of twelve styles of balancing correction weights to choose from. With over ten million weights in stock, we are ready to meet your immediate requirements with same day shipping. C D International is your one source for all of your balancing correction weight needs.

BALANCING CORRECTION WEIGHT KITS

These weight kits are made up of an assortment of our different styles of balancing correction weights to give you a range of the products we have available. Each style of weight is described in detail in following sections of this price guide and replacement packages are available to restock as needed.



CONTAINS:			
KIT #	PART #	DESCRIPTION	PRICE
BASK Balancing Accessories Starter Kit	CC-10	Adjustable carry case	\$795.00
	SC-Clips	Squirrel Cage Clips 275 pcs/25 ea. 0.2-13.0 g	
	SC-KIT	Steel C-clamps (pg. 2)	
	AFC-KIT	Airfoil Clips (pg. 4) including Extra Wide sizes .25, .50, 1.0 oz.	
BK-PRO Balancing Kit Pro	Complete BASK Plus RIC-Clips (pg. 3)	BASK AND 180 piece set of Backward Incline Clips 25 ea. of 0.5-14.0 g wts./ 10 ea. of 28.0 – 56.0 g wts.	\$995.00

SQUIRREL CAGE BALANCING CLIPS

The squirrel cage clips have a slight curve and are designed for balancing fans with a curved blade.

Pre-packaged Sets		
Part #	Description	Price
FS-BC-100	Full Set; 1100 pcs. 100 ea. wt.0.2-13.0 grams	532.00
2BC-KIT	Set of 25 ea. Wt. from 0.2 g - 13.0 g.	235.00



CONTENTS

Squirrel Cage Clips	Page 1
Backward Incline Clips	Page 2
Steel C-Clamps	Page 3
Air Foil Clips	Page 4
Accessories	Page 5,6,7
Stainless Steel Shims	Page 8

Replacement Packages

Part #	Description	Price	Part #	Description	Price
Per 100 clips			Per 25 clips		
1BC-02	100 X 0.2 g	41.50	2BC-02	25 X 0.2 g	18.00
1BC-04	100 X 0.4 g	41.50	2BC-04	25 X 0.4 g	18.00
1BC-06	100 X 0.6 g	41.50	2BC-06	25 X 0.6 g	18.00
1BC-08	100 X 0.8 g	41.50	2BC-08	25 X 0.8 g	18.00
1BC-16	100 X 1.6 g	41.50	2BC-16	25 X 1.6 g	18.00
1BC-24	100 X 2.4 g	51.50	2BC-24	25 X 2.4 g	22.25
1BC-33	100 X 3.3 g	51.50	2BC-33	25 X 3.3 g	22.25
1BC-49	100 X 4.9 g	61.50	2BC-49	25 X 4.9 g	26.50
1BC-65	100 X 6.5 g	61.50	2BC-65	25 X 6.5 g	26.50
1BC-98	100 X 9.8 g	81.50	2BC-98	25 X 9.8 g	35.00
1BC-130	100 X 13.0 g	91.50	2BC-130	25 X 13.0 g	38.40


TERMS AND CONDITIONS

1. F.O.B. Hamilton, Ontario
2. FIRM NET 30
3. 25% Restocking Fee
4. We gladly accept:
Master Card VISA American Express
 Revised September 2008

BACKWARD INCLINE BALANCING CLIPS

These clips are flat in shape and are designed for balancing flat bladed fans such as most backward incline fans.

Pre-packaged Sets		
Part #	Description	Price
FS-RIC-100	Full Set; 1100 pcs 100 ea. wt. 0.25-56.0 grams	990.00
2RIC-KIT	Set of 25 ea. Wt. from 0.1g - 56.0g	395.00



Replacement Packages

Part #	Description	Price Per 100	Part #	Description	Price Per 25
1RIC-01	100 x 0.1 g	41.95	2RIC-01	25 X 0.1 g	18.00
1RIC-025	100 x 0.25g	41.95	2RIC-025	25 x 0.25g	18.00
1RIC-05	100 x 0.5 g	41.95	2RIC-05	25 X 0.5 g	18.00
1RIC-08	100 x 0.8 g	41.95	2RIC-08	25 X 0.8 g	18.00
1RIC-18	100 x 1.8 g	41.95	2RIC-18	25 X 1.8 g	18.00
1RIC-36	100 x 3.6 g	51.95	2RIC-36	25 X 3.6 g	22.25
1RIC-50	100 x 5.0 g	55.95	2RIC-50	25 x 5.0 g	23.50
1RIC-70	100 x 7.0 g	61.95	2RIC-70	25 X 7.0 g	26.50
1RIC-140	100 x 14.0 g	91.95	2RIC-140	25 X 14.0 g	38.40
1RIC-280	100 x 28.0 g	162.00	2RIC-280	25 X 28.0 g	65.00
1RIC-420	100 x 42.0 g	197.00	2RIC-420	25 X 42.0 g	93.80
1RIC-560	100 x 56.0 g	227.00	2RIC-560	25 X 56.0 g	121.00

BLACK ZINC COATED BACKWARD INCLINE BALANCING CLIPS

These are backward incline clips coated in black zinc over spring steel.



Replacement Packages

Part #	Description	Price Per 100	Part #	Description	Price Per 25
1RIC-B-05	100 x 0.5 g	41.95	2RIC-B-05	25 X 0.5 g	18.00
1RIC-B-08	100 x 0.8 g	41.95	2RIC-B-08	25 X 0.8 g	18.00
1RIC-B-18	100 x 1.8 g	41.95	2RIC-B-18	25 X 1.8 g	18.00
1RIC-B-36	100 x 3.6 g	51.95	2RIC-B-36	25 X 3.6 g	22.25

STAINLESS STEEL BACKWARD INCLINE CLIPS

Clips are made of 410 stainless steel and are packaged in quantities of 25 clips.



Part #	Description (per 25)	Price
ST-RIC-05	0.5 g stainless clips	28.00
ST-RIC-09	0.9 g stainless clips	28.00
ST-RIC-18	1.8 g stainless clips	28.00
ST-RIC-39	3.9 g stainless clips	32.00
ST-RIC-70	7.0 g stainless clips	32.00
ST-RIC-140	14.0 g stainless clips	43.20

CUSTOM METAL STAMPINGS & BALANCING CLIPS

NEW!



C D International, Inc. now offers custom metal stampings to our customers. These products reflect the commitment to quality you have experienced in our other products. Call today for a quote.

We also strive to meet all of your balancing correction weight needs. Please give us a call if you have specific design requirements. We may have a weight in stock to meet your custom requirements, or have a die available to manufacture them for you. If we don't have a die for your specific design, we can discuss fabricating one.



STEEL BALANCING C-CLAMPS

The Steel Balancing C-Clamps are used as permanent correction weights on vane axial flow fans and squirrel cage fans. They have a serrated surface opposite the set screws that acts like a second set screw.

Pre-packaged Set		
SC-KIT	Complete Set – 28 pieces; 2 ea. clamp .04 – 8.0 ounce. Includes complete set of wrenches-one for each sized clamp	215.00



Replacement set screws available at \$1.00/ screw

Replacement Weights – priced individually			
Part #	Throat size	Description	Price
AC-004	3/16 “	1 X .04 ounce	8.95
AC-01	5/16”	1 X .10 ounce	8.95
SC-25	5/16”	1 X .25 ounce	8.95
SC-50	5/16”	1 X .50 ounce	9.25
SC-75	5/16”	1 X .75 ounce	9.25
SC-1	7/16”	1 X 1.0 ounce	9.50
SC-150	7/16”	1 X 1.5 ounce	9.50
SC-2	5/8”	1 X 2.0 ounce	9.50
SC-3	5/8”	1 X 3.0 ounce	9.50
SC-4	5/8”	1 X 4.0 ounce	9.50
SC-5	3/4”	1 X 5.0 ounce	10.50
SC-6	3/4”	1 X 6.0 ounce	10.50
SC-7	3/4”	1 X 7.0 ounce	10.50
SC-8	3/4”	1 X 8.0 ounce	10.50

STAINLESS STEEL BALANCING C-CLAMPS

The Stainless Steel C-Clamps are made from 303 stainless steel and are used as permanent correction weights on vane axial flow fans and squirrel cage fans.

STSC-KIT	Complete Set – 22 pieces; 2 ea. clamp .125 – 8.0 ounce.	349.95
-----------------	---	--------



Part #	Throat size	Description	Price
STSC-125	3/16”	1 X .125 ounce	16.00
STSC-25	5/16”	1 X .25 ounce	16.00
STSC-50	5/16”	1 X .50 ounce	16.00
STSC-75	5/16”	1 X .75 ounce	16.00
STSC-1	5/16”	1 X 1.0 ounce	16.50
STSC-2	5/8”	1 X 2.0 ounce	19.00
STSC-3	5/8”	1 X 3.0 ounce	19.00
STSC-4	5/8”	1 X 4.0 ounce	19.00
STSC-5	3/4”	1 X 5.0 ounce	21.00
STSC-6	3/4”	1 X 6.0 ounce	21.00
STSC-8	3/4”	1 X 8.0 ounce	21.00

HARSH ENVIRONMENT BALANCING C-CLAMPS

These clamps have set screws on both sides making them ideal for use in environments where fan blades may be corroded or other wise difficult to secure a weight to. One side is tightened until the fan blade is locked in between the set screw points and the serrated surface on the other side. The second set of screws is then tightened to further secure the weight.



Part #	Throat size	Description	Price
DSS-SC-2	5/8 ”	1 X 2.0 ounce	12.50
DSS-SC-3	5/8 ”	1 X 3.0 ounce	12.50
DSS-SC-4	5/8 ”	1 X 4.0 ounce	12.50
DSS-SC-5	3/4 “	1 X 5.0 ounce	16.95
DSS-SC-6	3/4 “	1 X 6.0 ounce	16.95
DSS-SC-7	3/4 “	1 X 7.0 ounce	16.95
DSS-SC-8	3/4 “	1 X 8.0 ounce	16.95

AIR FOIL BALANCING CLIPS

Air foil clips are used on blowers manufactured by companies such as Trane, Carrier, Twin City, New York and Chicago Blower. They have a 3/4" opening or throat size. The average depth of the clip is 1.1 inch.




Pre-packaged Set

AFC-KIT	Complete set; 60 pieces; 10 ea. Wt.	149.00
---------	--	--------

Replacement packages – 10 clips per Pkg.

Part #	Description	Price
AFC-125	10 X .125 ounce clips	17.50
AFC-25	10 X .25 ounce clips	17.50
AFC-50	10 X .50 ounce clips	19.95
AFC-100	10 X 1.0 ounce clips	34.95
AFC-150	10 X 1.5 ounce clips	44.95
AFC-200	10 X 2.0 ounce clips	49.95

EXTRA WIDE THROAT AIR FOIL BALANCING CLIPS



These clips have a 1.1 inch throat size. The depth averages 1.2 inches.

Part #	Description	Price
XW-AFC-25	10 X .25 ounce clips	25.00
XW-AFC-50	10 X .50 ounce clips	26.00
XW-AFC-100	10 X 1.0 ounce clips	36.00

NARROW THROAT AIR FOIL BALANCING CLIPS

The narrow throat air foil clips have an average throat size of .54". The depth of the clip averages .9".

Part #	Description	Price
N-AFC-125	10 X .125 ounce clips	20.40
N-AFC-25	10 X .25 ounce clips	20.40
N-AFC-50	10 X .50 ounce clips	25.50
N-AFC-100	10 X 1.0 ounce clips	42.50
N-AFC-150	10 X 1.5 ounce clips	54.40
N-AFC-200	10 X 2.0 ounce clips	62.90

TEFLON COATED AIR FOIL CLIPS


Coated with Teflon for resistance to most chemicals and high heat. Ideal for harsh environment applications. Available in Standard and Extra Wide.

Part #	Description	Price
T-XW-AFC-25	10 X .25 oz. clips	47.60
T-XW-AFC-50	10 X .50 oz. clips	50.15
T-XW-AFC-100	10 X 1.0 oz. clips	61.20

Part #	Description	Price
T-AFC-125	10 X .125 oz. clips	34.00
T-AFC-25	10 X .25 oz. clips	34.00
T-AFC-50	10 X .50 oz. clips	38.25
T-AFC-100	10 X 1.0 oz. clips	55.25
T-AFC-150	10 X 1.5 oz. clips	67.15
T-AFC-200	10 X 2.0 oz. clips	76.50

BALANCING MACHINE DRIVE BELTS

To order, simply provide us with the belt length (circumference) and width in inches. Please allow up to two weeks for shipment.




Belt Width	Price/Inch (Length)
Up to 1 inch	0.80/inch
Up to 2 inches	1.30/inch
Up to 3 inches	1.60/inch

The flex-proof seamless joining system creates a belt that is free of thickening and hardening. This has a favorable effect on the running behavior of the belt and reduces noise level. C D International balancing machine belts are designed for low noise, high efficiency, and energy saving power transmission independent of pulley diameter.

ADHESIVE BACKED LEAD WEIGHTS FOR BALANCING SHEAVES

These adhesive weights come in strips of blocks that can be broken apart to achieve the final correction weight. Each block is stamped with its weight. Sheaves should be balanced to compensate for the sloppy run out tolerance allowed by most manufactures. In some cases an inaccessible fan can be balanced on the sheave.




Part #	Description	Price
AW-60	One strip of 4 X 10 g blocks interspersed with 4 X 5 gram blocks totalling 60 grams	16.00
AW-84	One strip 7 gram blocks totalling 84 grams	16.00
AW-84T	One strip of 12 X 7 gram <u>thin</u> blocks totalling 84 grams. For tighter radius.	16.00
AW-168	One strip of 12 X 14 gram blocks totalling 168 grams.	16.00

MATERIALS

Part #	Description	Price
GBRT	Glass Bead Reflective Tape – ½ inch wide by 5 ft. long	26.00
BC	Balancing Clay – 1 pound package. Ideal for trial weight use, cleaner than wax.	15.00
BW	Balancing Wax—1 pound slab. Ideal as trial weight, adheres very well.	25.00

LITERATURE



Part # MB-MAN

\$195.00

154 Pages. One of the best books written exclusively on balancing rotating machinery.

The **Machinery Balancing Manual** has been prepared by individuals with a combined total of over 90 years experience in dynamic balancing and vibration analysis. In addition to the practical knowledge gained over the years, they have also authored ASME and other papers, served on the ANSI Standards committees on dynamic balancing and taught many training seminars on the subject.

BALLDRIVER L-WRENCHES

These wrenches are made from Protanium to withstand high torque and wear. The full set (Part # HW-BDS) contains eight sizes. The four most popular wrenches are listed and sold separately.

Part #	Description	Price
HW-BDS	Balldriver L-Wrench Set; all 8 sizes .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	15.00
HW-1/16	One Balldriver L-Wrench Fits AC-004 through SC-25	1.50
HW-5/64	One Balldriver L-Wrench Fits SC-50 through SC-75	1.50
HW-3/32	One Balldriver L-Wrench Fits SC-1 and SC-150	1.50
HW-1/8	One Balldriver L-Wrench Fits SC-2 through SC-8	1.50

**FELTIP PAINT MARKERS**

Feltip Paint Markers - Paint markers are used to mark your stinger or magnet locations to ensure measurements are taken at the same place each time. Also great for marking oil analysis, infrared and process parameter routes. Color code routes schedules. Use them to mark tools and machinery parts in dirty or oily environments.


Part #	Description	Price
FPM-S	Feltip Paint Marker - Silver	25.00
FPM-B	Feltip Paint Marker - Blue	25.00
FPM-G	Feltip Paint Marker - Green	25.00
FPM-O	Feltip Paint Marker - Orange	25.00
FPM-R	Feltip Paint Marker - Red	25.00
FPM-Y	Feltip Paint Marker - Yellow	25.00

BALANCING GENIUS HAND HELD COMPUTER**About Correction**

- Weight removal calculations for grinding or drilling
- Bar stock calculations for weight addition by welding

And Also About

- Splitting and adding correction weights with graphics
- Set radii for single and two plane balancing

**About Balancing**

- Single plane with trim and graphics
- Two plane with trim and graphics
- Static couple with graphics
- No phase (single plane - 4 runs) with graphics
- Grinding wheel - 2 or 3 weights with graphics

About Tolerances

- ISO and API standards
- ISO G1 for motor armatures
- ISO G2.5 for motor armatures (EASA)
- ISO Tolerances for narrow plane rotors

Part# BG 795.00

Telephone: 905-679-0085

Fax: 905-679-0058


www.balancingweights.ca

BALANCING WEIGHT POCKET SCALE

Pocket Pro Balancing Weight Pocket Scale – 400 g in .1 g increments; 1 g accuracy. Measures 4.75" X 3" X 1". 2 modes (grams and ounces), tare & memory functions, calibration weight. AA battery included.

Part# PP 401**175.00*****BALANCING CLIP INSTALLATION AND REMOVAL TOOL***

Large – The tool head has an embedded magnet that holds the weight in place to facilitate installation and removal and eliminate loss of the weight. An extendable handle enables access into tight areas. Aluminum construction prevents sparking in flammable areas and keeps the magnet from attaching itself to metallic objects.

**Part# BCIT****75.00**

Short – The smaller tool head has a smaller magnet that holds the weights in place. This tool is appropriate for the BC-02 clips up to the BC-24, as well as the RIC-01 through the RIC-36. The tool has the same aluminum construction as the longer tool.

**Part# BCIT-Short****60.00*****PHASE ANGLE INDICATOR***

The PM-BAI Balancing Angle Indicator provides reverse 360 degree vector markings, is made of heavy duty metal construction and comes with a magnetic base for flat or curved surfaces.

Part# PM-BAI**295.00**

STAINLESS STEEL ALIGNMENT SHIMS



SHIM SETS				
	Mini Sets 10 each thickness		Complete Sets 20 each thickness	
Size	Part #	Price	Part #	Price
A	M-2A	162.00	F-2A	265.00
B	M-3B	250.00	F-3B	402.50
C	M-4C	326.25	F-4C	575.50
D	M-5D	488.50	F-5D	825.50

SHIM SIZE	DIMENSIONS	S L O T SIZE
AA	1 1/8" X 1 1/8"	3/8"
A	2" X 2"	5/8"
B	3" X 3"	3/4"
C	4" X 4"	1 1/4"
D	5" X 5"	1 5/8"

C D International Stainless Steel Alignment Shims are stamped with both the actual and nominal thickness ensuring an accurate and efficient alignment. The exact thickness of each shim within the package is the same. Our high quality (MIL-1-45208A) shims are made from durable, corrosion resistant 304 stainless steel.

Four machine foot sizes available in thirteen thicknesses PLUS a New AA size shim now available in seven thicknesses.

Note the new AA Shims are used on small fractional horsepower motors and do not have tabs on them. Fractional HP motors, although less expensive, need to be aligned properly since they are less able to withstand the forces of misalignment.

Replacement Sets – 20 shims/pack

SIZE	AA		A		B		C		D	
Thickness	Part #	Price	Part #	Price	Part #	Price	Part#	Price	Part#	Price
.001"			A001	15.15	B001	21.25	C001	25.50	D001	38.25
.002"	AA002	12.75	A002	15.15	B002	21.25	C002	25.50	D002	38.25
.003"	AA003	12.75	A003	15.15	B003	21.25	C003	25.50	D003	38.25
.004"	AA004	12.75	A004	15.15	B004	21.25	C004	25.50	D004	38.25
.005"	AA005	12.75	A005	15.15	B005	21.25	C005	27.90	D005	39.25
.010"	AA010	15.75	A010	15.80	B010	23.40	C010	28.90	D010	39.25
.015"	AA015	18.50	A015	18.45	B015	24.50	C015	31.00	D015	42.50
.020"	AA020	19.95	A020	23.40	B020	27.25	C020	43.00	D020	47.50
.025"			A025	23.40	B025	27.50	C025	46.25	D025	57.50
.050"			A050	26.80	B050	27.75	C050	50.75	D050	86.95
.075"			A075	29.30	B075	41.50	C075	61.00	D075	86.95
.100"			A100	34.95	B100	43.50	C100	86.25	D100	129.50
.125"			A125	39.95	B125	65.25	C125	92.45	D125	151.50